


SIGNAL

11
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://pao.hood.army.mil/TSC>

INTERFERENCE GENERATOR TRAINER SG-886T/UR

DVC 11-40



TRAINING CATEGORY/LEVEL UTILIZED:
Signal/Level 3

**EQUIPMENT REQUIRED
NOT SUPPLIED:**
Dry battery, BA-1363U

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
For classroom or field use to provide practical experience to students and field radio operators in the recognition, identification and categorization of different types of interference.

**POWER
REQUIREMENTS:**
12.15 V DC

PHYSICAL INFORMATION:
Transit case and generator unit assemblies: 9" x 5" x 4"; 5 lbs.

PUBLICATIONS:
TM 11-5820-401 Series
TM 11-5820-396-12
TM 11-5820-498-12

CEOI BOARD

TD 11-001



TRAINING CATEGORY/LEVEL UTILIZED:

Signal/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

To aid in encoding and decoding radio messages.

POWER REQUIREMENTS:

None

PUBLICATIONS:

None

PHYSICAL INFORMATION:

Wooden Construction: 36" x 48" x 3"

Weight: 26 lbs.